

Imidacloprid References for Bees and Non-target Insect Studies

Abbott, V.A., J. L. Nadeau, H. A. Higo, and M. L. Winston. 2008. Lethal and Sublethal Effects of Imidacloprid on *Osmia lignaria* and Clothianidin on *Megachile rotundata* (Hymenoptera: Megachilidae) *Journal of Economic Entomology* 101(3):784-796.

Alexander, A.A. 2006. Sublethal effects of imidacloprid on mayflies and oligochaetes. M. Sci thesis. University of New Brunswick, Fredericton.

Alexander, A.C., J.M. Culp, K. Liber, and A.J. Cessna. 2007. Effects of insecticide exposure on feeding inhibition in mayflies and oligochaetes. *Environ Tox Chem* 26(8): 1726-1732.

Alexander, A.C., K.S. Heard, J.M. Culp. 2008. Emergent body size of mayfly survivors. *Freshwater Biology*. 53:171-180.

Alix, A., and C. Vergnet. 2007. Risk assessment to honey bees: a scheme developed in France for non-sprayed systemic compounds. *Pest Manag. Sci.* 63: 1069–1080.

Armengaud, C., M. Lambin, M. Gauthier. 2002. Effects of imidacloprid on the neural processes of memory in Honey bees: estimating the environmental impact of chemicals, J. Devillers and M.H. Pham-Delegue, (eds). New York: Taylor & Francis, 85-100.

Bai, D., S.C.R. Lummis, W. Leicht, H. Breer, D.B. Satelle. 1991. Actions of imidacloprid and a related nitromethylene on cholinergic receptors of an identified insect motor neuron. *Pesticide Sci* 33: 197-204.

Bailey, J., C. Scott-Dupree, R. Harris, J. Tolman, and B. Harris. 2005. Contact and oral toxicity to honey bees (*Apis mellifera*) of agents registered for use for sweet corn insect control in Ontario, Canada. *Apidologie* 36(4): 623-633.

Bailez, O. 1996. Études du comportement de butinage et des capacités de discrimination olfactive dans la relation abeille (*Apis mellifera*)-colza (*Brassica napus* L.). Thèse de Doctorat University of Paris XIII. Paris, France.

Bonmatin, J.M., P. Marchand, R. Charvet, M.E. Colin. 2004. Fate of systemic insecticides in fields (imidacloprid and fipronil) and risks for pollinators. First European Conference of Apidology. Udine, Italy. <http://iniud.it/eurbee>.

Bonmatin, J.M., I. Moineau, R. Charvet, M.E. Collin, C. Fleche, E.R. Bengsch. 2005. Behavior of Imidacloprid in Fields. Toxicity for Honey Bees in Environmental Chemistry: Green Chemistry and Pollutants in Ecosystems. Eric Lichtfouse, J. Schwarzbauer, and D. Robert (eds). New York: Springer.

Bonmatin, J.M., P.A. Marchand, R. Charvet, I. Moineau, E.R. Bengsch, and M.E. Colin. 2005. Quantification of imidacloprid uptake in maize crops. *J. Agric. Food Chem.* 53: 5336–5341.

Bortolotti L., Montanari R., Marcelino J., Medrzycki P., Maini S., Porrini C. 2003. Effects of sub-lethal imidacloprid doses on the homing rate and foraging activity of honey bees. *Bulletin of Insectology* 56(1): 63-67.

Bortolotti, L., E. Grazioso, C. Porrini, G. Sbreena. 2001. Belzunces, L. P., C. Pelissier, and G. B. Lewis (eds) *Hazards of Pesticides to Bees*. Avignon, France September 7-9, 1999, pp.217-225.

Chauzat, M. P., J. P. Faucon, A. C. Martel, J. Lachaize, N. Cougoule, and M. Aubert. 2006. A survey on pesticide residues in pollen loads collected by honey-bees (*Apis mellifera*) in France. *J. Econ. Entomol.* 99: 253-262.

Chauzat, M.P., P. Carpenter, A.C. Martel, S. Bougeard, N. Cougoule, P. Porta, J. Lachaize, F. Madec, M. Aubert, J.P. Faucon. 2009. Influence of Pesticide Residues on Honey Bee Health in France. *Environ Entomol* 38(3):514-523.

Colla, S.R. and L. Packer. 2008. Evidence of decline in eastern North American bumblebees (Hymenoptera:Apidae) with special focus on *Bombus affinis* Cresson. *Biodivers Conserv* 17:1379-1391.

Colin, M.E., J.M. Bonmatin, I. Moineau, C. Gaimon, S. Brun, J.P. Vermandere. 2004. A method to quantify and analyze the foraging activity of honey bees: relevance to the sublethal effects induced by systemic insecticides. *Arch Environ Contam. Toxicol.* 47:387-395.

Colin, M.E., Y. Le Conte, J.P. Vermendiere. 2000. Managing nuclei in insect-proof tunnel as an observation tool for foraging bees : sublethal effects of deltamethrin and imidacloprid. In *Hazards of Pesticides to Bees*. Belzunces, L.P., C. Pelissier, G.B. Lewis (Eds). INRA edition, Avignon, pp. 259-268.

Cox, R.L., W.T. Wilson. 1987. The behavior of insecticide-exposed honey bees. *Am. Bee J.* 127:118-119.

Culp, J.M., K. Liber, A. Cessna, and K. Doe. 2006. Improved ecological risk assessment of imidacloprid in aquatic ecosystems: PSF Final Report – February 2006. Pesticide Science Fund, Environment Canada.

Curé, G., H. W. Schmidt, and R. Schmuck. 2000. Results of a comprehensive field research programme with the systemic insecticide imidacloprid (Gaucho). Belzunces, L. P., C. Pelissier, and G. B. Lewis (eds) *Hazards of Pesticides to Bees*. 49–59. Institut National de la Recherche Agronomique. Avignon, France

Dechaume-Moncharmont, F.X., A. Decourtye, C. Hennequet-Hantier, O. Pons, M.H. Pham-Delegue. 2003. Statistical analysis of honeybee survival after chronic exposure to insecticides. *Environ. Toxicol. Chem.* 22:3088-94.

Decourtye, A., C. Armengaud, M. Renou, J. Devillers, S. Cluzeau, M. Gauthier, and M. H. Pham-Delègue. 2004. Imidacloprid impairs memory and brain metabolism in the honeybee (*Apis mellifera* L.). *Pestic. Biochem. Phys.* 78: 83–92.

Decourtye, A., E. Lacassie, and M.H. Pham-Delègue. 2003. Learning performances of honeybees (*Apis mellifera* L.) are differentially affected by imidacloprid according to the season. *Pest Manag. Sci.* 59: 269–278.

Decourtye, A., J. Devillers, S. Cluzeau, M. Charreton, and M.H. Pham-Delègue. 2004. Effects of imidacloprid and deltamethrin on associative learning in honeybees under semi-field and laboratory conditions. *Ecotoxicol. Environ. Safety* 57: 410–419.

Decourtye, A., M. Le Metayer, H. Pottiau, M. Tisseur, J.F. Odoux, M.H. Pham-Delegue. 2001. Impairment of olfactory learning performances in the honey bee after long-term ingestion of imidacloprid. Belzunces, L. P., C. Pelissier, and G. B. Lewis (eds) *Hazards of Pesticides to Bees*. Avignon, France September 7-9, 1999, pp. 113-117.

Decourtye, A., M.H. Pham-Delegue. 2002. The proboscis extension response: assessing the sublethal effects of pesticides on the honey bee In *Honey Bees: Estimating the Environmental Impact of Chemicals*, J. Devillers and M.H. Pham-Delegue, (eds). New York: Taylor & Francis, 67-84.

Decourtye, A., M. Tisseur, J.N. Tasei, M.H. Pham-Delegue. 2005. Toxicite et risques lies a l'emploi de pesticides chez les pollinisateurs: cas de l'abeille domestique. In *Enjeux Phytosanitaires pour L'agriculture et L'environnement au XXI Siecle*, C. Regnault-Roger, (ed). pp. 283-99. Paris:Lavoisier.

DEFRA Report on Use of sublethal effects in honeybees in pesticide risk assessment. 2002.

Deglise, P., B. Grunewald, M. Gauthier. 2002. The insecticide imidacloprid is a partial agonist of the nicotinic receptor of honeybee Kenyon cells. *Neurosci Letter* 321(1):13-16.

Desneux, N., A. Decourtye, and J-M. Delpuech. 2007. The sublethal effects of pesticides on beneficial arthropods. *Annu. Rev. Entomol.* 52: 81–106.

Devillers, J., A. Decourtye, H. Budzinskid, M.H. Pham-Delegue, S. Cluzeau, G. Maurin. 2003. Comparative toxicity and hazards of pesticides to Apis and non-Apis bees. A chemometrical study. *SAR QSAR Environ Res.* 14(5-6):389-403.

Devillers, J.A., M.H. Pham-Delegue, A. Decourtye, H. Budzinski, S. Cluzeau, G. Maruin. Modeling the acute toxicity of pesticides to Apis mellifera. *Bull Insectology* 56(1): 103-109.

Extension Toxicology Network (EXTOXNET). 1998. Imidacloprid Pesticide Information Profile. [Online]. Available at <http://extoxnet.orst.edu/pips/imidaclo.htm>. (Verified 09 January 2006). Oregon State University, Corvallis, OR.

Faucon, J.P., C. Aurieres, P. Drajnudel, L. Mathieu, M. Ribier, A.C. Martel, S. Zeggane, M.P. Chauzat, M.F. Aubert. 2005 Feb. Experimental study on the toxicity of imidacloprid given in syrup to honey bee (*Apis mellifera*) colonies. *Pest Manag Sci* 61(2): 111-25.

Fossen, M. 2006. Environmental Fate of Imidacloprid. Department of Pesticide Regulation, California. <http://www.cdpr.ca.gov/docs/emon/pubs/fatememo/Imidclprdfate2.pdf>. (also contains ecotox information on bees)

Gels, J.A., D.W. Held and D.A. Potter. 2002. Hazards of insecticides to the bumble bees *Bombus impatiens* (Hymenoptera: Apidae) foraging on flowering white clover in turf, *Ecotoxicology* 95: 722–728.

Greatti M., Barbattini R., Stravisi A., Sabatini A. G., Rossi S. 2006. Presence of the a.i. imidacloprid on vegetation near corn fields sown with Gaucho® dressed seeds. *Bulletin of Insectology* 59(2): 99-103.

Greatti, M., A.G. Sabatini, R. Barbattini, S. Rossi, and A. Stravisi. 2003. Risk of environmental contamination by the active ingredient imidacloprid used for corn seed dressing: Preliminary results. *Bull. Insectol.* 56(1): 69–72.

Grixti, J.C., Lisa T. Wong, Sydney A. Cameron and Colin Favret. 2009. Decline of bumble bees (*Bombus*) in the North American Midwest *Biological Conservation.* 142 (1): 75-84.

Guez, D., S. Suchail, M. Gauthier, R. Maleszka, and L.P. Belzunces. 2001. Contrasting Effects of Imidacloprid on Habituation in 7- and 8-Day Old Honeybees (*Apis mellifera*). *Neurobiology of Learning and Memory.* 76(2):183-191.

Guez, D. L.P. Belzunces, and R. Maleszka. 2003. Effects of imidacloprid metabolites on habituation in honeybees suggest the existence of two subtypes of nicotinic receptors differentially expressed during adult development. *Pharm Biochem Behavior.* 75:217-222.

Halm, M, A. Rortais, G. Arnold, N. Tasei, S. Rault. 2006. New risk assessment approach for systemic insecticides: the case of honey bees and imidacloprid (Gaucho). *Environ. Sci. Technol.* 40:2448-2454.

Haynes, K.F. 1988. Sublethal effects of neurotoxic insecticides on insect behavior. *Annu. Rev. Entomol.* 33:149-68.

Hellpointner, E. 1994a. Degradation and translocation of imidacloprid under field conditions on a lysimeter. Bayer AG, Leverkusen-Bayerwerk, Germany. Report No. 106426. 74 pp. (Reviewed in Mulye 1996)

Hellpointner, E. 1994b. Degradation and translocation of imidacloprid under field conditions on a lysimeter: amendment to the original report. Bayer AG, Leverkusen-Bayerwerk, Germany. Report No. 106426-1. 42 pp. (Reviewed in Mulye 1996)

Incertii, F., L. Bortolotti, C. Porrini, A. M. Sbrenna, G. Sbrenna. 2003. An extended laboratory test to evaluate the effects of pesticides on bumblebees. Preliminary results. *Bulletin of Insectology* 56 (1): 159-164, 2003 ISSN 1721-8861

Imidacloprid in Canada. From Informed Discussion of Beekeeping Issues and Bee Biology on Behalf of Stan Sandler. <http://www.honeybeeworld.com/imidacloprid/canada.htm>.

Iwasa, T., N. Motoyama, J.T. Ambrose, R. M. Roe. Mechanism for the Differential Toxicity of Neonicotinoid Insecticides in the Honey Bee, *Apis mellifera*. 2004. *Crop Protection*, 23: 371-378.

Kaakeh, N., W. Kaakeh, G.W. Bennett. 1996. Topical toxicity of imidacloprid, fipronil, and seven conventional insecticides to the adult convergent lady beetle (Coleoptera:Coccinellidae). *J. Entomol Sci.* 31(3):315-322.

Kirchner, W. H. 1999. Mad-bee-disease? Sublethal effects of imidacloprid (Gaucho®) on the behaviour of honeybees. *Apidologie* 30:422.

Kreutzweiser, D.P., K.P. Good, D. Chartrand, T.A. Scarr, and D.G. Thompson. 2007. Toxicity of the systemic insecticide, imidacloprid, to forest stream insects and microbial communities. *Bull. Environ. Contam. Toxicol. In Review*.

Kreutzweiser, D.P., K. Good, D. Chartrand, T. Scarr, D. Thompson. 2007. Non-target effects on aquatic decomposer organisms of imidacloprid as a systemic insecticide to control emerald ash borer in riparian trees. *Ecotox Environ Safety* 68:315-325.

Kreutzweiser, D.P., D.G. Thompson, T.A. Scarr. 2009. Imidacloprid in leaves from systemically treated trees may inhibit litter breakdown by non-target invertebrates. *Ecotox Environ Safety*. 72:1053-1057.

Krischik, V., A. Landmark, G.E. Hempel. 2007. Soil-applied imidacloprid is translocated to nectar and kills nectar-feeding *Anagyrus psedococci* (Girault) (Hymenoptera:Encyrtidae) *Environ Entomol* 36(5):1238-1245.

Kumar, R. and A.K. Dikshit. 2001. Assessment of imidacloprid in Brassica environment. *Environ Sci Health*. 36(5):619-629.

Lambin, M., C. Armengaud, S. Raymond, M. Gauthier. 2001. Imidacloprid induced facilitation of the proboscis extension reflex habituation in the honeybee. *Arch. Insect Biochem Physiol*. 48:129-34.

Laramee, S. 2007. Honeybees as bioindicators of exotoxicological pollutant: the case of the insecticide imidacloprid. M. Sci. thesis. University of Sherbrooke, Quebec, Canada.

Laurent, F.M. and E. Rathahao. 2003. Distribution of [¹⁴C]imidacloprid in sunflowers (*Helianthus annuus* L.) following seed treatment. *J. Agric. Food Chem*. 51: 8005–8010.

Marletto, F., A. Patetta, Manno, A. Laboratory Assessment of Pesticide Toxicity to Bumblebees. *Bulletin of Insectology* 56 (1): 155-158, 2003 ISSN 1721-8861

Maresch, Karl. 2009. Bees killed by Neo-nicotinoids in expressed maize sap. <http://www.farminguk.com/news/Bees-killed-by-Neo-nicotinoids-in-expressed-Maize-sap10986.asp>

Matsuda, K. S.D. Buckingham, D. Kleier, J.J. Rauh, M. Grauso, D.B. Sattelle. 2001. Neonicotinoid insecticide acting on insect nicotinic acetylcholine receptors. *Trends Pharmacol Sci* 22:573-580.

Maus, C., G. Cure, R. Schmuck. 2003. Safety of imidacloprid seed dressings to honey bees: a comprehensive overview and compilation of the current state of knowledge. *Bulletin of Insectology* 56(1): 51-57

Mayer, D., J. Lunden. 1997. Effects of imidacloprid insecticide on three bee pollinators. *Hortic Sci*, 29:93-97.

Medrzycki P., Montanari R., Bortolotti L., Sabatini A. G., Maini S., Porrini C. 2003. Effects of imidacloprid administered in sub-lethal doses on honey bee behaviour. Laboratory tests. *Bulletin of Insectology* 56 (1): 59-62.

Mulye, H.S. 1995. Environmental evaluation of imidacloprid insecticide and the end-use product Admire 240F. Submission Numbers: 94-1706 and 94-1705. Pesticides Division, Commercial Chemicals Evaluation Branch, Environmental Protection Service, Environment Canada.

Mulye, H.S. 1996. Supplementary review of imidacloprid technical and the end-use product, Admire 240F insecticide. Submission Numbers: 94-1706 and 94-1705. Environmental Evaluation Division, Pest Management Regulatory Agency, Health Canada.

Mulye, H.S. 1997a. Supplementary review of imidacloprid technical and the end-use product, Admire 240F insecticide. Submission Numbers: 95-1229 and 96-2186. Environmental Assessment Division, Pest Management Regulatory Agency, Health Canada.

Mulye, H.S. 1997b. Supplementary review of imidacloprid technical and the end-use product, Admire 240F insecticide. Registration Numbers: 24468 & 24094. Submission Numbers: 97-1070 & 97-0931. Environmental Assessment Division, Pest Management Regulatory Agency, Health Canada.

Mulye, H.S. 1999. Environmental evaluation of imidacloprid insecticide and the end-use product admire 240F. Submission No. 96-2186. Environmental Assessment Division, Pest Management Regulatory Agency, Health Canada.

Nauen, R., U. Ebbinghaus-Kintscher, and R. Schmuck. Bayer. 2001. Toxicity and nicotinic acetylcholine receptor interaction of imidacloprid and its metabolites in *Apis mellifera* (Hymenoptera: Apidae). *Pest Manag. Sci.* 57: 577-586.

Nauen, R., A. Elbert. 1999. Apparent tolerance of a field-collected strain of *Myzus nicotianae* to imidacloprid due to strong antifeeding responses. *Pesticide Science.* 49(3):252-258.

Nauen, R., B. Koob, A. Elbert. 1998. Antifeedant effects of sublethal dosages of imidacloprid on *Besisia tabaci*. *Entomologia Experimentalis et Applicata.* 88(3):287-293.

Nguyen, B.K., C. Saegerman, C. Pirard, J. Mignon, J. Widart, B. Thirioniet, F.J. Verheggen, D. Berkvens, E. De Pauw, and E. Haubruge. 2009. Does imidacloprid seed-treated maize have an impact on honey bee mortality? *J Econ Entomol* 102(2): 616-623.

Overmyer, J.P., B.N. Mason, and K.L. Armbrust. 2005. Aquatic toxicity of imidacloprid and fipronil to a nontarget aquatic insect, *Simulium vittatum* Zetterstedt cytospecies IS-7. *Bull. Environ. Contam. Toxicol.* 74: 872-879.

Pestana, J.L.T., A.C. Alexander, J.M. Culp, D.J. Baird, A.J. Cessna, A.M.V.M. Soares. 2009. Structural and functional responses of benthic invertebrates to imidacloprid in outdoor stream mesocosms. *Environmental Pollution.* 157:2328-2334.

Pettis, J. 2009. Status of Pollinator Health. USDA-ARS Bee Research Lab, Beltsville, MD. <http://www.ndswcs.org/documents/Rapid%20City%20conference/Friday/PollinatorsPettis-London08.pdf>.

Pham-Delègue, M-H., A. Decourtye, L. Kaiser, and J. Devillers. 2002. Behavioural methods to assess the effects of pesticides on honey bees. *Apidologie* 33: 425-432.

PMRA (Pest Management Regulatory Agency). 1995. Imidacloprid NTN (33893). Chapter 3: Impact on human and animal health. Draft.

PMRA (Pest Management Regulatory Agency). 2001. Imidacloprid. Regulatory Note. REG2001-11. Ottawa: Health Canada, Pest Management Regulatory Agency. Available at <http://www.pmr-arla.gc.ca/english/pdf/reg/reg2001-11-e.pdf>

PMRA (Pest Management Regulatory Agency). 2005. Electronic Dossier, Delivery, and Evaluation System (EDDE): Electronic Labels: Search and Evaluation (ELSE). <http://eddenet.pmr-arla.gc.ca/4.0/4.01.asp>

Porrini, C., A.G. Sabatini, S. Girotti, F. Fini, L. Monaco, G. Celli, L. Bortolotti, S. Ghini. 2003. The death of honey bees and environmental pollution by pesticides: the honey bees as biological indicators. *Bulletin of Insectology* 56(1): 147-152.

Porrini C., Sgolastra F., Sabatini A.G. 2008. Rete per il monitoraggio dei fenomeni di spopolamento e mortalità degli alveari in Italia (APENET). *Apoidea*, 5 (2): 83-87.

Ramirez-Romero, R., J. Chaufaux, and M-H. Pham Delègue. 2005. Effects of Cry1Ab protoxin, deltamethrin and imidacloprid on the foraging activity and the learning performances of the honeybee *Apis mellifera*, a comparative approach. *Apidologie* 36:601–611.

Ratte, H.T., and U. Memmert. 2003. Biological effects and fate of imidacloprid SL 200 in outdoor microcosm ponds. Bayer AG, Crop Protection, Leverkusen, Germany. Report No. 811776.

Rogers, R.E.L. and J.R. Kemp. 2003. Imidacloprid, potatoes, and honey bees in Atlantic Canada: is there a connection? *Bull. Insectol.* 56:83-88.

Rortais, A., G. Arnold, M. Halm, R. Touffet-Briens. 2005. Modes of honeybees exposure to systemic insecticides: estimated amounts of contaminated pollen and nectar consumed by different categories of bees. *Apidologie* 36:71-83

Rouchaud, J. F. Gustin, A. Wauters. 1996. Imidacloprid insecticide soil metabolism in sugar beet field crops. *Bull. Environ. Contam. Toxicol.* 56:29-36.

Sánchez-Bayo, F., and K. Goka. 2006. Ecological effects of the insecticide imidacloprid and a pollutant from antidandruff shampoo in experimental rice fields. *Environ. Toxicol. Chem.* 25(6): 1677-1687.

Schmuck, R., Bayer. 1999. Bayer. No causal relationship between Gaucho® seed dressing in sunflowers and the French bee syndrome. *Pflanzenschutz-Nachr.* 52:257–299.

Schmuck, R., Bayer. 2004. Bayer. Effects of a chronic dietary exposure of the honeybee *Apis mellifera* (Hymenoptera: Apidae) to imidacloprid. *Arch Environ. Contam. Toxicol.* 47:471-78.

Schmuck, R., R. Nauen, U. Ebbinghaus-Kintscher. 2003. Bayer. Effects of imidacloprid and common plant metabolites of imidacloprid in the honeybee: Toxicological and biochemical considerations. *Bull Insectol* 56(1): 27-34.

Schmuck, R., R. Schöning, A. Stork, and O. Schramel. Bayer. 2001. Risk posed to honeybees (*Apis mellifera* L, Hymenoptera) by an imidacloprid seed dressing of sunflowers. *Pest Manag. Sci.* 57: 225–238.

Schnier, H. G. Wenig, F. Laubert, V. Simon, R. Schmuck. 2003. Bayer. Honey bee safety of imidacloprid corn seed treatment. *Bulletin of Insectology.* 56(1): 73-75.

Schur, A., I. Tornier, D. Brasse, W. Muhler, W. Von Der Ohe, K. Wallner, M. Wehling. 2003. Honey Bee Brood Ring-Test in 2002: Method for the Assessment of Side Effects of Plant Protection Products on the Honey Bee Brood under Semi-field Condition. *Bulletin of Insectology* 56(1): 91-96.

Shah, R.G., J. Lagueux, S. Kapur, P. Levallois, P. Ayotte, M. Tremblay, J. Zee, and G.G. Poirier. 1997. Determination of genotoxicity of the metabolites of the pesticides Guthion, Sencor, Lorox, Reglone, Daconil and Admire by 32P-postlabeling. *Mol Cell Biochem.* 169(1-2):177-84

Smirle, M.J., M.L. Winston, and K.L. Woodward, 1984. Development of a sensitive bioassay for evaluating sublethal pesticide effects on the honey bee (Hymenoptera: Apidae). *Journal of Economic Entomology* 77:63-67.

Song, M.E., J.D. Stark, J.T. Brown. 1997. Comparative toxicity of four insecticides including imidacloprid and tebufenozide to four aquatic arthropods. *Environ Toxicol Chem.* 16:2494-2500.

Stadler, T., D.M. Gines, and M. Buteler, 2003. Long-term toxicity assessment of imidacloprid to evaluate side effects on honey bees exposed to treated sunflower in Argentina. *Bull Insectol* 56(1): 77-81.

Stapel, J.O., A.M. Cortesero, W.J. Lewis. 2000. Disruptive sublethal effects of insecticides on biological control: altered foraging ability and life span of a parasitoid after feeding on extrafloral nectar of cotton treated with systemic pesticides. *Biol. Control* 17:243-49.

Stark, J.D., P.C. Jepson, and D.F. Mayer. 1995. Limitations to use of topical toxicity data for predictions of pesticide side effects in the field. *J. Econ. Entomol.* 88: 1081–1088.

Steen J., J. M. Van Der, 2001. Review of the methods to determine the hazard and toxicity of pesticides to bumblebees. *Apidologie*, 32: 399-406.

Stoner, K. and B. Eitzer. Pesticides in pollen collected from honey bee hives in Connecticut. <http://www.millersriver.net/pollen/talks/Microsoft%20PowerPoint%20-%20Kim%20Stoner%20pdf%20for%20posting.pdf>

Stoughton, S.J., K. Liber, J. Culp, A. Cessna. 2008. Acute and chronic toxicity of imidacloprid to the aquatic invertebrate *Chironomus tentans* and *Hyalella azteca* under constant- and pulse-exposure conditions. *Arch Environ Contam Toxicol* 54:662-673.

Suchail, S., D. Guez, and L. P. Belzunces. 2000. Characteristics of imidacloprid toxicity in two *Apis mellifera* subspecies. *Environ. Toxicol. Chem.* 19:1901–1905.

Suchail, S., D. Guez, and L. P. Belzunces. 2001. Discrepancy between acute and chronic toxicity induced by imidacloprid and its metabolites in *Apis mellifera*. *Environ. Toxicol. Chem.* 20: 2482–2486.

Suchail, S., D. Guez, and L.P. Belzunces. 1999. Characteristics of imidacloprid toxicity in two *Apis mellifera* subspecies. *Environ. Toxicol. Chem.* 19(7): 1901–1905.

Suchail, S., D. Guez, and L.P. Belzunces. 2001. Belzunces, L. P., C. Pelissier, and G. B. Lewis (eds) *Hazards of Pesticides to Bees*. Avignon, France September 7-9, 1999, pp.121-126.

Suchail, S., L. Debrauwer, and L. P. Belzunces. 2003. Metabolism of imidacloprid in *Apis mellifera*. *Pest Manag. Sci.* 60:291–296.

Tasei, J.N., G. Ripault, and E. Rivault. 2001. Hazards of Imidacloprid Seed Coating to *Bombus terrestris* (Hymenoptera: Apidae) When Applied to Sunflower. *J. Econ. Entomol.* 94(3): 623–627.

Tasei, J.N., J. Lerin, G. Ribault. 2000. Sub-lethal effects of imidacloprid on bumblebees, *Bombus terrestris* (Hymenoptera: Apidae) during a laboratory feeding test. *Pest. Manag. Sci.* 56:784-88.

Thompson, H. M. 2003. Behavioural effects of pesticides in bees: their potential for use in risk assessment. *Ecotoxicology* 12: 317–330.

Thompson, H. M., 2001. Assessing the exposure and toxicity of pesticides to bumblebees (*Bombus* sp.). *Apidologie*, 32:305-321.

Thompson, H. M., Hunt L. V. 1999. Extrapolating from honeybees to bumblebees in pesticide risk assessment. *Ecotoxicology*, 8: 147-166.

Thompson, H.M., C. Maus. Bayer. 2007. The relevance of sublethal effects in honey bee testing for pesticide risk assessment. *Pest Management Science.* 63:1058-1061.

Thyssen, J., L. Machemer. 1999. Imidacloprid: toxicology and metabolism in Nicotinoid Insecticides and the Nicotinic Acetylcholine Receptor, ed. I. Yamamoto, J.E. Casida, 213-11. Tokyo: Springer-Verlag.

Tomizawa, M. and J.E. Casida. 2000. Imidacloprid, thiacloprid, and their imine derivatives up-regulate the $\alpha 4\beta 2$ nicotinic receptor in M10 cells. *Toxicol Applied Pharmacol* 169:114-120.

Tomizawa, M. and J.E. Casida. 2005. Neonicotinoid Insecticide Toxicology: Mechanisms of Selective Action in *Annual Review of Pharmacology and Toxicology.* 45: 247-268.

U.S. EPA (United States Environmental Protection Agency). 1994. Office of Pesticides Programs. *Toxoneliner: Imidacloprid*. Washington, D.C., p.1.

Van Engelsdorp, D., D. Cox Foster, M. Frazier, N. Ostiguy, and J. Hayes. 2007. “Fall dwindle disease”: Investigations into the causes of sudden and alarming colony losses experienced by beekeepers in the fall of 2006. Preliminary report: First revision. <http://maarec.cas.psu.edu/pressReleases/FallDwindleUpdate0107.pdf>

Wallner, K. 2001. Tests regarding effects of imidacloprid on honey bees. Belzunces, L. P., C. Pelissier, and G. B. Lewis (eds) *Hazards of Pesticides to Bees*. Avignon, France September 7-9, 1999, pp. 91–94.

Wallner, K., A. Schur, and B. Stürz. 1999. Test regarding the danger of the seed disinfectant, Gaucho® 70WS, for honeybees. *Apidologie* 30:423.

Westwood, F., K. Bean, A. Dewar, R. Bromilow, and K. Chamberlain. 1998. Movement and persistence of [¹⁴C] imidacloprid in sugar-beet plants following application to pelleted sugar-beet seed. *Pestic. Sci.* 52(2): 97–103.

Yang, E.C., Y.C. Chuang, Y.L. Chen, L.H. Chang. 2008. Abnormal foraging behavior induced by sublethal dosage of imidacloprid in the honeybee (Hymenoptera: Apidae). *J. Econ Entomology* 101(6):1743-1748.

Zafeiridou, G. G. Theophilidis. 2004. Modulation of the respiratory rhythm in honeybee, *Apis mellifera macedonica*, caused by the insecticide imidacloprid in the low nanomolar concentrations range In *Bees and pesticides*, ICPBR symposium organized by Sabatini and Wallner. September 2004. <http://web.uniud.it/eurbee/Proceedings/Bees%20and%20Pesticides.pdf>

Zhang, S.W., M. Lehrer, M.V. Srinivasan. 1999. Honeybee memory: navigation by associative grouping and recall of visual stimuli. *Neurobiol. Learn. Mem.* 72:180-201.

Zunic, A. and A. Cokl. 2004. Effects of sublethal doses of imidacloprid on honeybees' freezing response, after cuticular exposure. In *Bees and pesticides*, ICPBR symposium organized by Sabatini and Wallner. Sept 2004. <http://web.uniud.it/eurbee/Proceedings/Bees%20and%20Pesticides.pdf>

Related Studies for Imidacloprid and Bees

Abrol, D.P., S. Devinder. 2007. Morphogenic and toxic effects of pesticides on honeybee brood. *Journal of Research.* 6(2):

Aliouane, Y., A.K. Hassani, V. Gary, C. Armengaud, M. Lambin, and M. Gauthier. 2009. Subchronic exposure of honeybees to sublethal doses of pesticides: effects on behavior. *Environ Tox and Chem*, 28(1):113-122.

Aupinel, P., D. Fortini, B. Michaud, F. Marolleau, J-N. Tasei, J-F. Odoux. 2007. Toxicity of dimethoate and fenoxycarb to honey bee brood (*Apis mellifera*), using a new in vitro standardized feeding method. *Pest Manag Sci* 63:1090-1094.

Bakker, F. and J. Calis. 2003. A semi-field approach to testing effects of fresh or aged pesticide residues on bees in multiple-rate test designs. *Bull Insectology* 56(1):97-102.

Bayer Corp. 1998. Imidacloprid memo to U.S. EPA. June 5, 1998.

Beuhne, R., 1910. Bee mortality. *Journal of the Department of Agriculture of Victoria* 7:149-151.

Biesmeijer, J.C., S.P.M. Roberts, M. Reemer, R. Ohlemüller, M. Edwards, T. Peeters, A.P. Schaffers, S.G. Potts, R. Kleukers, C.D. Thomas, J. Settele and W.E. Kunin. 2006. Parallel declines in pollinators and insect pollinated plants in Britain and the Netherlands, *Science* 313: 351–354.

Brian, A. D., The foraging of bumble bees. Part I. Foraging behaviour, *Bee World* 35 (1954), pp. 61–67.

Buchholz, A. and R. Nauen. 2002. Translocation and translaminar bioavailability of two neonicotinoid insecticides after foliar application to cabbage and cotton. *Pest Manag. Sci.* 58(1): 10-16.

Buchmann, L. and G.P. Nabhan. 1996. *The Forgotten Pollinators*, Island Press, Washington, D.C., p. 292.

Burdick, E., and D.M. Caron. 2006. *MAAREC beekeeper survey*.
<http://maarec.cas.psu.edu/pdfs/MAARECSurveyPub.pdf>

Canadian Water Quality Guidelines Imidacloprid. 2007. Scientific Supporting Document. Canadian Council of Ministers of the Environment. (terrestrial toxicity section – birds)
http://www.ccme.ca/assets/pdf/imidacloprid_ssd_1388.pdf.

Canadian Water Quality Guidelines Imidacloprid Lorox, Reglone, Daconil and Admire by ³²P-postlabeling. *Molecular and Cellular Biochemistry* 169:177-184.

Canadian Water Quality Guidelines Imidacloprid potato fields in Prince Edward Island (2001-2002). Environment Canada, Environmental Protection Branch, Atlantic Region. Surveillance Report EPS-5-AR-04-05.

Candolfi, M., E. Servajean. 2001. A bi-tunnel method developed to investigate the side-effects of systemic seed dressings or systemic soil treatments on honeybees, *Apis mellifera*. Belzunces, L. P., C. Pelissier, and G. B. Lewis (eds) *Hazards of Pesticides to Bees*. Avignon, France September 7-9, 1999, pp. 251-257.

Cane, J.H. and V.J. Tepedino. 2001. Causes and extent of declines among native North American invertebrate pollinators: detection, evidence, and consequences. *Conserv. Ecol.* 5:1.

Carvell, C. 2002. Habitat use and conservation of bumblebees (*Bombus* spp.) under different grassland management regimes, *Biological Conservation* 103:33-49.

Cameron, S.A., H.M. Hines and P.H. Williams. 2007. A comprehensive phylogeny of the bumble bees (*Bombus*), *Biological Journal of the Linnean Society*, London 91:161-188.

Carvell, D.B. Roy, S.M. Smart, R.F. Pywell, C.D. Preston and D. Goulson. 2006. Declines in forage availability for bumblebees at a national scale, *Biological Conservation* 132: pp. 481-489.

Charvet, R., M. Katouzian-Safedi, M.E. Colin, P.A. Marchand, J.M. Bonmatin. 2004. Systemic insecticides: new risk for pollinator insects. *Ann Pharm Fr.* 62(1):29-35.

Chauzat, M. P., J. P. Faucon, A. C. Martel, J. Lachaize, N. Cougoule, and M. Aubert. 2006. A survey of pesticide residues in pollen loads collected by honey bees in France. *J. Econ. Entomol.* 99:253-262.

Claudianos, C., H. Ranson, R.M. Johnson, S. Biswas, M.A. Schuler, M.R. Berenbaum, R. Feyereisen, J.G. Oakeshott. 2006. A deficit of detoxification enzymes: pesticide sensitivity and environmental response in the honeybee. *Insect Mol Biol.* 15(5):615-636.

Colla, S.R. and L. Packer. 2008. Evidence for decline in eastern North American bumblebees (Hymenoptera: Apidea), with special focus on *Bombus affinis* Cresson, *Biodiversity and Conservation* 17:1379–1391.

Colla, S.R., M.C. Otterstatter, R.J. Gegeer and J.D. Thomson. 2006. Plight of the bumble bee: pathogen spillover from commercial to wild populations, *Biological Conservation* 129:461–467.

Committee on the Status of Pollinators in North America, 2007 Committee on the Status of Pollinators in North America National Research Council, Status of Pollinators in North America, National Academies Press, Washington, D.C.

Corbet, S.A., I.H. Williams and J.L. Osborne. 1991. Bees and the pollination of crops and wildflowers in the European Community, *Bee World* 72:47–49.

Corbet, S.A., M. Fussell, R. Ake, A. Fraser, C. Gunson, A. Savage and K. Smith. 1993. Temperature and the pollinating activity of social bees, *Ecological Entomology* 18:17–30.

Cox, C. 2001. Insecticide Fact Sheet: Imidacloprid. *Journal of Pesticide Reform*. 21(1):15-21.

Dacher, M., A. Lagarrigue, M. Gauthier. 2005. Antennal tactile learning in the honeybee: Effect of nicotinic antagonists on memory dynamics. *Neuroscience* 130:37-50.

Davis, A.R., K.R. Solomon, R.W. Shuel. 1988. Laboratory studies of honeybee larval growth and development as affected by systemic insecticides at adult-sublethal levels. *J Apicul Res* 27(3): 146-161.

Decourtye, A., J. Devillers, E. Genecque, K. LeMenach, H. Budzinski, S. Cluzeau, and M.H. Pham-Delegue. Pham-Delègue, 2005. Comparative sublethal toxicity of nine pesticides on olfactory learning performances of the honeybee *Apis mellifera*. *Archives of Environmental Contamination and Toxicology* 48:242-250.

El Hassani, A.K., M. Dacher, M. Gauthier, C. Armengaud. 2005. Effects of sublethal doses of fipronil and thiamethoxam on the behavior of the honeybee (*Apis mellifera*). *Arch Environ Contam Toxicol* 54:653-661.

Faucon, J. P., L. Mathieu, M. Ribière, A.-C. Martel, P. Drajnudel, S. Zeggane, C. Aurières, and M.F.A. Aubert. 2002. Honey bee winter mortality in France in 1999 and 2000. *Bee World* 83: 14–23.

Finley, J., S. Camazine, and M. Frazier, 1996. The epidemic of honey bee colony losses during the 1995-1996 season. *American Bee Journal* 136:805-808.

Fitzpatrick, U., M.G. Murray, R.J. Paxton, J. Breen, D. Cotton, V. Santorum and M.J.F. Brown. 2007. Rarity and decline in bumblebees – a test of causes and correlates in the Irish fauna, *Biological Conservation* 136:185–194.

Fletcher, M., L. Barnett. 2003. Bee pesticide poisoning incidents in the United Kingdom. *Bull Insectology*. 56(1):141-145.

Foote, H.L., 1966. The mystery of the disappearing bees. *American Bee Journal* 106:126-127.

Goulson, D. 2006. The demise of the bumblebee in Britain, *Biologist* 53:294–299.

- Goulson, D. and B. Darvill. 2004. Niche overlap and diet breadth in bumblebees: are rare species more specialized in their choice of flowers?, *Apidologie* 35:55–63.
- Goulson, D., G.C. Lye and B. Darvill. 2008. Decline and conservation of bumble bees, *Annual Review of Entomology* 53:191–208.
- Goulson, D., M.E. Hanley, B. Darvill, J.S. Ellis and M.E. Knight. 2005. Causes of rarity in bumblebees, *Biological Conservation* 122:1–8.
- Goulson, D. 2003. *Bumblebees: Their Behaviour and Ecology*, Oxford University Press, Oxford.
- Greggers, U. and R. Menzel. 1993. Memory dynamics and foraging strategies of honeybees. *Behav Ecol Sociobiol* 32:17-29.
- Higes, Mariano, R. Martin-Hernandez, C. Botias, E.G. Bailon, A.V. Gonzalez-Porto, L. Barrios, M.J. Del Nozal, J.L. Bernal, J.J. Jimenez, P.G. Palencia, A. Meana. 2008. How natural infection by *Nosema ceranae* causes honeybee colony collapse. *Environ Microbiology* 10:1111
- Ho, M. W. and J. Cummins. Mystery of disappearing honeybees. *Sci. Soc.* 34:2007. 35–36.
honey bees. *Bulletin of Insectology* 56:63-67.
- Hovda, L.R. and S.B. Hooser. 2002. Toxicology of newer pesticides for use in dogs and cats. *The Veterinary Clinics: Small Animal Practice*. 32(2):455-467.
- Illies, I., W. Muhlen, G. Ducker, N. Sachser. 2001. Belzunces, L. P., C. Pelissier, and G. B. Lewis (eds) *Hazards of Pesticides to Bees*. Avignon, France September 7-9, 1999. pp.242-244.
- Inchem Report. Toxicological evaluations of imidacloprid. 2001. Prepared by Roland Solecki, FIHPCVM, Germany. <http://www.inchem.org/documents/jmpr/jmpmono/2001pr07.htm>.
- Johansen, C.A., D.F. Mayer, J.D. Eves, and C.W. Kious. 1983. Pesticides and bees. *Environ Entomol* 12:1513-1518.
- Kamble, S.T. and R.K. Saran. 2005. Effect of concentration on adsorption of three termiticides in soil. *Bull. Environ. Contam. Toxicol.* 75: 1077–1085.
- Kauffeld, N.M., 1973. Disappearing disease...a longevity problem? *Agricultural Research*, 22:14.
- Kauffeld, N.M., J.H. Everitt, and E.A. Taylor, 1976. Honey bee problems in the Rio Grande Valley of Texas. *American Bee Journal* 116:220-222, 232.
- King, M.J. 1993. Buzz foraging mechanism of bumble bees, *Journal of Apicultural Research* 32: 41–49.
- Kleijn, D. and I. Raemakers, 2008. A retrospective analysis of pollen host plant use by stable and declining bumble bee species, *Ecology* 89:1811–1823.
- Kobori, Y. and H. Amano. 2004. Effects of agrochemicals on life-history parameters of *Aphidius gifuensis* Ashmead (Hymenoptera: Braconidae). *Appl. Entomol. Zool.* 39(2): 255–261.

- Kosior, A., W. Celary, P. Olejniczak, J. Fijał, W. Król, W. Solarz and P. Plonka. 2007. The decline of the bumble bees and cuckoo bees (Hymenoptera: Apidae: Bombini) of western and central Europe, *Oryx* 41: 79–88.
- Kreutzweiser, D., K. Good, D. Chartrand, T. Scarr, and D. Thompson. 2007. Non-target effects on aquatic decomposer organisms of imidacloprid as a systemic insecticide to control emerald ash borer in riparian trees. *Ecotoxicol. Environ. Safety*. *In Press*.
- Kulinčević, J.M., W.C. Rothenbuhler, and T.E. Rinderer, 1982. Disappearing disease. Part I. Effects of certain protein sources given to honey-bee colonies in Florida. *American Bee Journal* 122:189-191.
- Kulinčević, J.M., W.C. Rothenbuhler, and T.E. Rinderer, 1983. Disappearing disease. II. Effects of certain protein sources on brood rearing and length of life in the honey bee under laboratory conditions. *American Bee Journal* 123:50-53.
- Kulinčević, J.M., W.C. Rothenbuhler, and T.E. Rinderer, 1984. Disappearing disease: III. A comparison of seven different stocks of the honey bee (*Apis mellifera*). The Ohio State Center, Wooster, Ohio, 21 pp.
- Laloi, D., O. Bailez, M.M. Blight, B. Roger, M-H. Pham-Delegue, L.J. Wadhams. 2000. Recognition of complex odors by restrained and free-flying honeybees, *Apis mellifera* L. *J. Chem Ecol.*, 26:2307-2319.
- Laloi, D., B. Roger, M.M. Blight, L.J. Wadhams, M-H. Pham-Delegue. 1999. Individual learning ability and complex odor recognition in the honey bee, *Apis mellifera* L. *J Insect Behavior*, 12(5):585-597.
- Leymann, B., W. Muhlen, A. Edelmann. 2001. A semi-field test to evaluate effects of plant protection products on brood in honeybee colonies (*Apis mellifera* L.). Belzunces, L. P., C. Pelissier, and G. B. Lewis (eds) *Hazards of pesticides to bees*, September 07-09, 1999. Avignon, France. INRA, Paris, 2001. pp. 61-69.
- Lind, R.J., M.S. Clough, S.E. Reynolds, F.G.P. Earley. 1998. [³H] Imidacloprid labels high- and low-affinity nicotinic acetylcholine receptor-like binding sites in the aphid *Myzus persicae* (Hemiptera: Aphidae). *Pest Biochem Physiol* 62:3-14.
- Lounsbury, N. Fall 2008. Pollinators and pesticides. *Pesticides and You*. 28(3):10-24.
- Lozano, V.C., C. Armengua, M. Gauthier. 2001. Memory impairment induced by cholinergic antagonists injected into the mushroom bodies of the honeybee. *J Comp Physiol* 187:249-254.
- McEwen, F.L. and G.R. Stephenson. 1979. *The use and significance of pesticides in the environment*. John Wiley and Sons, Inc. Toronto.
- Menzel, R. 1985. Learning in honey bees in an ecological and behavioral context. In *Experimental Behavioral Ecology* Hölldobler, B. and M. Lindauer (eds). 55–74. Stuttgart, Germany: Fischer.
- Menzel, R. 1999. Memory dynamics in the honeybee. *J. Comp. Physiol.* 185:185–340.

- Mineau, P., K.M. Harding, M. Whiteside, M.R. Fletcher, D. Garthwaite, L.D. Knopper. 2008. Using reports of bee mortality in the field to calibrate laboratory-derived pesticide risk indices. *Environ Entomology*. 37(2):546-554.
- Morandin, L.A. 2005. Wild Bees and Agroecosystems. Thesis for Doctor of Philosophy. Simon Fraser University. <http://ir.lib.sfu.ca/retrieve/2429/etd2029.pdf>.
- Moring, J.B., J.H. Kennedy, and J. Wiggins. 1992. Assessment of the potential ecological and biological effects of NTN 33893 on aquatic ecosystems as measured in fibreglass pond systems. Report prepared by Miles Inc., Agriculture Division. Bayer CropScience Report No. 102600.
- Mraz, C., 1977. Disappearing disease south of the border. *Gleanings in Bee Culture*. 105(5):198.
- Mullins, J. W. 1993. Imidacloprid: A new nitroguanidine insecticide. *Am. Chem. Soc. Symposium Series* 5240097-6156.
- Nauen, R., K. Tietjen, K. Wagner, and A. Elbert. 1998. Efficacy of plant metabolites of imidacloprid against *Myzus persicae* and *Aphis gossypii* (Homoptera: Aphididae). *Pestic. Sci.* 52: 53-57.
- Oertel, E., 1965. Many bee colonies die of an unknown cause. *American Bee Journal* 105:48-49.
- Oldroyd, B. P. 2007. What's killing American honey bees? *PLoS Biol.* 5:168.
- Olley, K. 1976. Those disappearing bees. *American Bee Journal* 116:520-521.
- Orme, S. and S. Kegley. 2003. PAN Pesticide Database, Pesticide Action Network. Imidacloprid. www.pesticideinfo.org.
- Page, R. E., G. E. Robinson, M. K. Fondrk, and M. E. Nasr. 1995. Effects of worker genotypic diversity on honey-bee colony development and behavior (*Apis mellifera* L.). *Behav. Ecol. Sociobiol.* 36:387-396.
- Peng, C. Y-S., E. Mussen. A. Fong, P. Cheng, G. Wong, M.A. Montague. 1996. Laboratory and field studies on the effects of the antibiotic tylosin on honey bee *Apis mellifera* L. (Hymenoptera: Apidae) development and prevention of American foulbrood disease. *J Invert Path* 67:65-71.
- Rasmont, P., A. Pauly, M. Terzo, S. Patiny, D. Michez, S. Iserbyt, Y. Barbier and E. Haubruge. 2006. The survey of wild bees (Hymenoptera, Apoidea) in Belgium and France, *Status of the World's Pollinators*, Food and Agriculture Organisation of the United Nations, Rome, p. 18. <http://www.fao.org/ag/AGP/AGPS/C-CAB/Castudies/pdf/1-010.pdf>.
- Roberge, F., 1978. The case of the disappearing honeybees. *National Wildlife* 16:34-35.
- Robyn M. Underwood and Dennis van Engelsdorp. Colony Collapse Disorder: Have We Seen This Before? <http://www.beeeculture.com/content/ColonyCollapseDisorderPDFs/7%20Colony%20Collapse%20Disorder%20Have%20We%20Seen%20This%20Before%20-%20Robyn%20M.%20Underwood%20and%20Dennis%20vanEngelsdorp.pdf>.

Rouchaud, J., F. Gustin, and A. Wauters. 1994. Soil Biodegradation and Leaf Transfer of Insecticide Imidacloprid Applied in Seed Dressing in Sugar Beet Crops. *Bull. Environ. Contam. Toxicol.* 53: 344-350.

Rouchaud, J., F. Gustin, and A. Wauters. 1996. Imidacloprid insecticide soil metabolism in sugar beet field crops. *Bull. Environ. Contam. Toxicol.* 56: 29-36.

Sabbagh, G.J., M.F. Lenz, J.M. Fisher, and E.L. Arthur. 2002. Significance of binding on imidacloprid degradation in soils, and effects of soil characteristics on imidacloprid adsorption capacity. Report No. 200327. Bayer CropScience, Stilwell, Kansas.

Sarospataki, M., J. Novak and M. Viktoria. 2005. Assessing the threatened status of bumble bee species (Hymenoptera: Apidae) in Hungary, Central Europe, *Biodiversity and Conservation* 14: 2437-2446.

Schmidt, H.W., D. Brasse, C. Kunast, W. Muhlen, W. von der Ohe, I. Tornier, K. Wallner. 2003. Introduction of indices for the evaluation of tent tests and field tests with honeybees. *Bull Insectology.* 56(1):111-117.

Smith, B. 1991. The olfactory memory of the honey bee *Apis mellifera*. *J. Exp Biol* 161:367-382.

Song, M.Y., J.D. Stark, and J.J. Brown. 1997. Comparative toxicity of four insecticides, including imidacloprid and tebufenozide, to four aquatic arthropods. *Environ. Toxicol. Chem.* 16 (12): 2494-2500.

Svensson, B., 2003. Silent spring in northern Europe?
http://www.beekeeping.com/intoxications/silent_spring.htm

Tasei, J.N., M.H. Pham-Delegue, L. Belzunces. 2003. Registration of systemic insecticides and EPPO guidelines. *Bull Insectology.* 56(1):189-191.

Tew, J.R., 2002. Bee Culture's beeyard: Disappearing disease - An urban myth? Is this a disease? How can you tell? *Bee Culture.*

Thurber, F.F. 1976. Disappearing-yes; disease-no! *Gleanings in Bee Culture* 104:260-261.

Tomizawa, M. and J. E. Casida. 1999. Minor structural changes in nicotinoid insecticides confer differential subtype selectivity for mammalian nicotinic acetylcholine receptors. *Brit. J. Pharmacol.* 127:115-122.

Torchio, P.F. 1990. Relative toxicity of insecticides to the honey bee, alkali bee, and alfalfa leafcutting bee. *J. Kans. Entomol. Soc.* 46:446-453.

Tomlin, C.D.S. 2000. *The Pesticide Manual*. Twelfth Edition. British Crop Protection Council. Surrey, U.K.

Vandame, R., M. Meled, M.E. Colin, and L.P. Belzunces, 1995. Alteration of the homing flight in the honeybee *Apis mellifera* L. exposed to sublethal dose of deltamethrin. *Environmental Toxicology and Chemistry* 14:855-860.

Villa, S., M. Vighi, A. Finizio, G.B. Serini. 2000. Risk assessment for honeybees from pesticide-exposed pollen. *Ecotoxicology* 9:287-97.

Visscher, P.K., R. Dukas. 1997. Survivorship of foraging honeybees. *Insectes Soc.* 44:1-5.

Von Frisch, K. 1967. *The Dance Language and Orientation of Bees*. Cambridge, MA: Harvard Univ. Press, 566 pp

Wilson, W.T., and D.M. Menapace, 1979. Disappearing disease of honey bees: a survey of the United States. *American Bee Journal* 119:Part I:118-119, Part II:184-186, 217.

Witherell, P.C., 1975. Conference on the disappearing disease of honey bees. *American Bee World* 83:14-23.

[www.bayercropscience.com/bayer/cropscience/cscms.nsf/id/studies/\\$file/Gaicho_Studien_IV_2_engl.pdf](http://www.bayercropscience.com/bayer/cropscience/cscms.nsf/id/studies/$file/Gaicho_Studien_IV_2_engl.pdf)

Yamamoto, I., M. Tomizawa, T. Saito, T. Miyamoto, E.C. Walcott, K. Sumikawa. 1998. Structural factors contributing to insecticidal and selective actions of neonicotinoids. *Arch Insect Biochem Physiol* 37:24-32.

Yang, E.C., Y.C. Chuang, Y.L. Chen, and L.H. Chang. 2008. Abnormal foraging behavior induced by sublethal dosage of imidacloprid in the honey bee (Hymenoptera: Apidae). *J Econ Entomol* 101(6): 1743-1748.